

SECONDARY OVERFLOW SWITCHES

The most cost effective product to protect against condensate water damage

New



CONDENSATE
OVERFLOW SWITCH

MODEL P/N 50003
24 Volt AC, 1.25 Amp GP

CAUTION : USE IN CLASS 2
(THERMOSTAT) CIRCUIT ONLY

- ✓ **Overflow Protection**
- ✓ **Adjustability**
- ✓ **Easy Installation & Clean**
- ✓ **Safety & Reliability**
- ✓ **Reduce callbacks & Economical**
- ✓ **Smaller than mechanical switches**

Item No.	Description	Std.Qty	U/M
50001	Clip-On Condensate Overflow Switch	24	EA

Features

- Efficiently detects clogged A/C condensate drains.
- Magnetic reed switch.
- Connect to either red or yellow wire.
- Easy to Install, Service and clean.
- Slim profile can be installed on primary or auxiliary drain pans.
- Clip-on placement.



Item No.	Description	Std.Qty	U/M
50002	Model EII Condensate Overflow Switch	24	EA

Features

- Effectively detects clogged A/C condensate drain.
- Magnetic reed switch.
- Connects to red or yellow wire.
- Easy to install, service and clean.
- Can be mounted on the auxiliary outlet of the main drain pan.
- Vertical placement.




Item No.	Description	Std.Qty	U/M
50003	Model T Condensate Overflow Switch	24	EA

Features

- Effectively detects a clogged A/C condensate drain.
- Magnetic reed switch.
- Connects to red or yellow wire.
- Easy to install, service, and clean; can be installed on a sloping line without needing to be perfectly level or plumb.
- Can be installed in-line or on the primary pan's auxiliary drain outlet.
- Horizontal or vertical placement.





Cleaning tool recommendation



DUCT CLEANING BRUSH
NO. 42529



CONDENSATE DRAIN CLEANING TOOL
NO. 86001-86004